



Claims:

1. (Withdrawn) A top-load sink/laundry combo, comprising:
a cabinet;
an automatic top-loading washing machine having a drum, which is suspended inside of the said cabinet;
a motor connected to the said drum;
washing process control and programming means;
connection means for water supply and a waste line;
a sink with a faucet mounted on the top of the cabinet and connected to the same water supply and a waste line;
shock absorbing wall anchoring means.
2. (Withdrawn) The top-load sink/laundry combo defined in claim 1 wherein said automatic top-loading washing machine is fitted for drying, another words it is washer/dryer combo.
3. (Withdrawn) The top-load sink/laundry combo defined in claim 1 wherein said automatic washing machine is removable attached to the cabinet under the sink.
4. (Withdrawn) The top-load sink/laundry combo defined in claim 1 wherein said automatic washing machine is pivotally attached to the cabinet under the sink.
5. (Withdrawn) The top-load sink/laundry combo defined in claim 2 wherein said automatic washer/dryer combo is removable attached to the cabinet under the sink.
6. (Withdrawn) The top-load sink/laundry combo defined in claim 2 wherein said automatic washer/dryer combo is pivotally attached to the cabinet under the sink.
7. (Withdrawn) The top-load sink/laundry combo defined in claim 1 wherein P-trap is mounted flush to the wall and configured on a way that the water

accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet;

8. (Withdrawn) The top-load sink/laundry combo defined in claim 2 wherein P-trap is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet;
9. (Withdrawn) The top-load sink/laundry combo defined in claim 2 wherein said dryer has a condensation device.
10. (Withdrawn) The top-load sink/laundry combo defined in claim 2 wherein said dryer has a ventilation means, which are direct connected to the waste line bypassing P-trap.
11. (Withdrawn) The top-load sink/laundry combo defined in claim 2 wherein said dryer has a check valve, which prevents sewer smell from entering laundry.
12. (Withdrawn) The top-load sink/laundry combo defined in claim 2 wherein said dryer equipped with retractable ventilation hose.
13. (Withdrawn) The top-load sink/laundry combo defined in claim 2 wherein said dryer equipped with lint trap filled with water, which is automatically changed every washing or rinse cycle.
14. (Withdrawn) A top-load sink/laundry combo, comprising:
 - a cabinet;
 - an automatic top-loading washing machine having a drum, which is suspended inside of the said cabinet;
 - a motor connected to the said drum;
 - washing process control and programming means;
 - connection means for water supply and a waste line;

a sink, which is pivotally mounted on horizontal axle to the top of the cabinet, which allows to use said sink as an access door for said top-loading washing machine;

shock absorbing wall anchoring means.

15. (Withdrawn) The top-load sink/laundry combo defined in claim 14 wherein said washing machine is fitted for drying, another words it is washer/dryer combo.

16. (Withdrawn) The top-load sink/laundry combo defined in claim 14 wherein said automatic washing machine is removable attached to the cabinet under the sink.

17. (Withdrawn) The top-load sink/laundry combo defined in claim 14 wherein said automatic washing machine is pivotally attached to the cabinet under the sink.

18. (Withdrawn) The top-load sink/laundry combo defined in claim 15 wherein said automatic washing machine is removable attached to the cabinet under the sink.

19. (Withdrawn) The top-load sink/laundry combo defined in claim 15 wherein said automatic washing machine is pivotally attached to the cabinet under the sink.

20. (Withdrawn) The top-load sink/laundry combo defined in claim 14 wherein P-trap is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet;

21. (Withdrawn) The top-load sink/laundry combo defined in claim 15 wherein P-trap is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet;

22. (Withdrawn) The top-load sink/laundry combo defined in claim 15 wherein said dryer has a condensation device.

23. (Withdrawn) The top-load sink/laundry combo defined in claim 15 wherein said dryer has a ventilation means, which are direct connected to the waste line bypassing P-trap.
24. (Withdrawn) The top-load sink/laundry combo defined in claim 15 wherein said dryer has a check valve, which prevents sewer smell from entering laundry.
25. (Withdrawn) The top-load sink/laundry combo defined in claim 15 wherein said dryer equipped with retractable ventilation hose.
26. (Withdrawn) The top-load sink/laundry combo defined in claim 15 wherein said dryer equipped with water-filled self-cleaning lint trap and P-trap combo.
27. (Withdrawn) The top-load sink/laundry combo defined in claim 14 wherein said sink is splitted for at least two parts, where one part with a faucet is permanently attached to the cabinet and another part is pivotally connected to horizontal axle and to a flexible waste line pipe.
28. (Withdrawn) The top-load sink/laundry combo defined in claim 14 wherein said sink is split for at least two parts, where one part with a faucet is permanently attached to the cabinet and another part is pivotally connected to horizontal axle and has a quick pressure connection (coupler) to waste line.
29. (Withdrawn) A top-load sink/laundry combo, comprising:
a cabinet;
a sink mounted on the top of the cabinet and connected to water supply and a waste line;
an built-in automatic top-loading washing machine with horizontally rotating drum, which is suspended inside of the said cabinet in accordance with the pitch of the said sink;
a motor connected to the said drum;

washing process control and programming means;
connection means for water supply and a waste line;
shock absorbing wall anchoring means.

- 30. (Withdrawn) The top-load sink/laundry combo defined in claim 29 wherein said washing machine is fitted for drying, another words it is washer/dryer combo.**
- 31. (Withdrawn) The top-load sink/laundry combo defined in claim 29 wherein said automatic washing machine is removable attached to the cabinet under the sink.**
- 32. (Withdrawn) The top-load sink/laundry combo defined in claim 29 wherein said automatic washing machine is pivotally attached to the cabinet under the sink.**
- 33. (Withdrawn) The top-load sink/laundry combo defined in claim 30 wherein said automatic washing machine is removable attached to the cabinet under the sink.**
- 34. (Withdrawn) The top-load sink/laundry combo defined in claim 30 wherein said automatic washing machine is pivotally attached to the cabinet under the sink.**
- 35. (Withdrawn) The top-load sink/laundry combo defined in claim 29 wherein P-trap is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet;**
- 36. (Withdrawn) The top-load sink/laundry combo defined in claim 30 wherein P-trap is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet;**
- 37. (Withdrawn) The top-load sink/laundry combo defined in claim 30 wherein said dryer has a condensation device.**

38. (Withdrawn) The top-load sink/laundry combo defined in claim 30 wherein said dryer has a ventilation means, which are direct connected to the waste line bypassing P-trap.
39. (Withdrawn) The top-load sink/laundry combo defined in claim 30 wherein said dryer has a check valve, which prevents sewer smell from entering laundry.
40. (Withdrawn) The top-load sink/laundry combo defined in claim 30 wherein said dryer equipped with retractable ventilation hose.
41. (Withdrawn) The top-load sink/laundry combo defined in claim 30 wherein said dryer equipped with lint trap filled with water, which is automatically changed every washing or rinse cycle.
42. (Withdrawn) The top-load sink/laundry combo defined in claim 30 wherein said dryer equipped with water-filled self-cleaning lint trap and P-trap combo.
43. (Withdrawn) The top-load sink/laundry combo defined in claim 29 wherein said sink is split for at least two parts, where one part with a faucet is permanently attached to the cabinet and another part is pivotally connected to horizontal axle and to a flexible waste line pipe.
44. (Withdrawn) The top-load sink/laundry combo defined in claim 29 wherein said sink is split for at least two parts, where one part with a faucet is permanently attached to the cabinet and another part is pivotally connected to horizontal axle and has a quick pressure connection (coupler) to waste line.
45. (Withdrawn) The top-load sink/laundry combo defined in claim 1 wherein said automatic washing machine is pivotally attached to horizontally suspended rotation axle in the bottom of the cabinet and having vibration-proof connection to the front panel, which is pivotally attached to the different horizontal rotation axle on the front of the cabinet.
46. (Withdrawn) The top-load sink/laundry combo defined in claim 2 wherein said automatic washing machine is pivotally attached to horizontally

suspended rotation axle in the bottom of the cabinet and having vibration-proof connection to the front panel, which is pivotally attached to the different horizontal rotation axle on the front of the cabinet.

47. (Withdrawn) The top-load sink/laundry combo defined in claim 14 wherein said automatic washing machine is pivotally attached to horizontally suspended rotation axle in the bottom of the cabinet and having vibration-proof connection to the front panel, which is pivotally attached to the different horizontal rotation axle on the front of the cabinet.

48. (Withdrawn) The top-load sink/laundry combo defined in claim 15 wherein said automatic washing machine is pivotally attached to horizontally suspended rotation axle in the bottom of the cabinet and having vibration-proof connection to the front panel, which is pivotally attached to the different horizontal rotation axle on the front of the cabinet.

49. (New) A top-load sink/laundry combo, comprising:

a cabinet;

a sink with a faucet mounted on the top of the cabinet,

and automatic top-loading washing machine, which is connected to the same water supply and a drain line and is pivotally attached to horizontally suspended rotation axle in the bottom of the cabinet and having vibration-proof connection to the front panel, which is pivotally attached to the different horizontal rotation axle on the front of the cabinet.

50. (New) The top-load sink/laundry combo defined in claim 49 wherein said automatic top-loading washing machine is fitted for drying, another words it is washer/dryer combo.

51. (New) The top-load sink/laundry combo defined in claim 49 wherein said sink/laundry combo has the built-in P-trap, which is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet;

- 52. (New) The top-load sink/laundry washer/dryer combo defined in claim 50 wherein**
said washer/dryer combo has the built-in P-trap, which is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet.
- 53. (New) The top-load sink/laundry washer/dryer combo defined in claim 50 wherein**
said washer/dryer combo has a ventilation means, which are direct connected to the drain line bypassing P-trap.
- 54. (New) A top-load sink/laundry combo, comprising:**
a cabinet;
a sink with a faucet mounted on the top of the cabinet;
an automatic top-loading washing machine, which is connected to the same water supply and a drain line and is pivotally attached to horizontally suspended rotation axle in the bottom of the cabinet,
and having built-in P-trap, which is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet.
- 55. (New) The top-load sink/laundry combo defined in claim 54 wherein said automatic top-loading washing machine is fitted for drying, another words it is washer/dryer combo.**
- 56. (New) The top-load sink/laundry washer/dryer combo defined in claim 55 wherein said washer/dryer combo has a ventilation means, which are direct connected to the drain line bypassing P-trap.**
- 57. (New) A top-load sink/laundry combo, comprising:**
a cabinet;
an automatic top-loading washing machine having a drum, which is suspended inside of the said cabinet;
washing process control and programming means;
connection means for water supply and a waste line;
a sink, which is pivotally mounted on horizontal axle to the top of the

cabinet,

and having built-in P-trap, which is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet.

58. (New) The top-load sink/laundry combo defined in claim 57 wherein said washing machine is fitted for drying, another words it is washer/dryer combo.

59. (New) The top-load sink/laundry combo defined in claim 58 wherein said washer/dryer combo has a ventilation means, which are direct connected to the drain line bypassing P-trap.